




2M/MTR GOLD DISK STRATEGIC PLANNING MEETING



25 –26 JUNE 2002

Gary Gurholt CNAP N436 Combat Systems



HIGH-LITES


- **CVN 68 1ST MONTH POST PSA STATS**
 - ◆ 4 CASREPS averted
 - ◆ 9 Jobs completed
 - ◆ \$56,861 Cost avoidance
- **CVN 76 CNO MONTHLY GOLD DISK DEVELOPMENT AWARDS**
 - ◆ ET1(SW) DENNIS BLAIR for the month of Feb '02
 - ◆ ET2 CLETUS THAYER for the month of Jun '02
- **CVN 70/PHD TECHNICAL RESOLUTION OF NSSM SIGNAL DATA PROCESSOR 5V PWR SUPPLY**
 - ◆ Current probe measurement of replacements
- **CVN 70 COMBAT SYSTEMS 'GREEN E' AWARD**



2M/MTR SPACE STANDARDIZATION & UPGRADES



- STRIVE FOR 03-165- SPACE FOR CVN 68 CLASS
 - ◆ 6 CVN's located in 03-165- spaces
 - ◆ 3 CVN's not located in 03-165- spaces
- AFFECTS UNIFORMITY OF SPACE LAYOUT , ACR, NEW EQUIPMENT INTRODUCTION, AND BEST PRICE FOR SPACE UPGRADE
- COSTS TO UPGRADE THESE SPACES W/VIDMAR BENCHES, CABINETS, AND FURNISHING MEETING ESS AND OTHER 2M/MTR ENVIRONMENTAL REQUIREMENTS IS TYPICALLY \$11 – \$14K



CVN 70 SUCCESS STORY

- CVN 70 REQUESTED ASSISTANCE TO UPGRADE 2M/MTR SPACE 03-106- PRIOR TO DEPLOYMENT
 - ◆ No programmed upgrade or space modernization
 - ◆ No funding lines available
 - ◆ TYCOM provided \$11K funding
- CVN 70 PRODUCTION, COST AVOIDANCE, AND TECHNICAL PROBLEM RESOLUTION INCREASED DRAMATICALLY
- 'INDUSTRIAL' HABITABILITY JUST AS IMPORTANT AS 'LIVEABLE' HABITABILITY
 - ◆ Provide the tools and environment to the sailor and you will receive the results you are looking for
 - ◆ No carrot or stick required




CVN 70 SUCCESS STORY





CVN 68 POST RCOH ENHANCED 2M/MTR & MODULAR REPAIR FACILITY



- CVN 68 DESIGNATED 03-165- SPACE TAKEN OVER BY COMCARGRU STAFF
- MAJOR RCOH ADDED REQUIREMENTS TO 03 LEVEL SPACES FORCED 2M/MTR TO FORMER ADP 4TH DECK SPACE
 - ◆ Large space co-shared with PC and Copier repair
 - ◆ Isolation and boundaries
- DESIGN SPACE AS TOTAL MODULAR REPAIR
 - ◆ 2M/MTR
 - ◆ Fiber
 - ◆ PC/Copier repair
 - ◆ Discourage 'space grabbing'
 - ◆ Foster team effort



AREAS OF CONCERN

- *CCA/EM SCREENING*
- *REQUISITION OF GD SUPPORTED CCA/EM*
- *INSTITUTIONALIZED PROCESSES*